
PROPOSAL FORMS

**FOR REFURBISHMENT OF CAB, CHASSIS &
RESCUE BODY FOR FIRE RESCUE TRUCK**

**DUE: NOVEMBER 1, 2016 BY 10:30 A.M.
SUBMIT TO: LITTLE FERRY BOROUGH CLERK
215-217 LIBERTY STREET, LITTLE FERRY, NJ 07643**

EMAIL & FAX PROPOSALS NOT ACCEPTED

BOROUGH OF LITTLE FERRY
COUNTY OF BERGEN
STATE OF NEW JERSEY

NOTICE TO BIDDERS:

NOTICE is hereby given that sealed bids will be received by the Mayor and Council of the Borough of Little Ferry located at 215-217 Liberty Street, Little Ferry, New Jersey, on Tuesday, November 1, 2016 at 10:30 a.m. or as soon thereafter as the matter may be reached for the REFURBISHMENT OF CAB, CHASSIS AND RESCUE BODY FOR FIRE RESCUE TRUCK in accordance with the Specifications and Information to Bidders. Information to Bidders, Form of Proposal and Specifications may be examined and obtained at the Office of the Borough Clerk during regular business hours, upon payment of \$15.00 for each complete set of documents, said sum not returnable. The specifications are available for free on the Borough's website at www.littleferrynj.org under the section RFPs, RFQs & Bids.

Each bid shall be on the form of proposal and shall be enclosed in a sealed envelope addressed to the Borough of Little Ferry and shall be marked "REFURBISHMENT OF CAB, CHASSIS AND RESCUE BODY FOR FIRE RESCUE TRUCK".

Bids for the refurbishment shall be accompanied by a cashier's check made payable to the Borough of Little Ferry or a duly executed bid bond with a recognized surety company for at least the sum of 10% of the amount of the bid as a guarantee that the bidder will enter into a contract if the contract is awarded to said bidder. The full amount of such deposit shall be returned within ten (10) days following the award of the contract covered by such specifications or the rejection of the bid of such person or corporation.

A non-conclusive bidding certificate in the form attached to the specifications must be submitted with each bid.

No bid may be withdrawn for a period of sixty (60) days from the date of the bid opening.

The Borough of Little Ferry reserves the right to reject any and all bids in accordance with the Local Public Contracts Law, to waive any informalities, or to accept the bid which in its judgment shall be in the best interest of the citizens of the municipality.

By order of the Mayor and Council of the Borough of Little Ferry.

BY: Barbara Maldonado
Barbara Maldonado, Borough Clerk

BID DOCUMENT SUBMISSION CHECKLIST

All forms/certifications must be completed in full and initialed by the prospective bidder indicating inclusion of completed form with the bid documents.

Initial

- Bid Document Submission Checklist..... _____
- Specifications _____
- Proposal..... _____
- Schedule of Prices _____
- Bidder's Affidavit _____
- Non-Collusion Affidavit..... _____
- Ownership Statement Compliance Form _____
- Bid Bond _____
- Consent of Surety _____
- Acknowledgement of Surety Company _____
- Prevailing Wage Rate Statement..... _____
- Bidders Safety Acknowledgement..... _____
- Bidders Qualification Form..... _____
- Plant and Equipment Questionnaire (4 pages) _____
- Public Works Contractor Registration Certificate or
Registration Application (If Applicable)..... _____
- Proof of Business Registration
(Copy of Business Registration Certificate)..... _____
- Acknowledgement of Receipt of Changes to Bid Documents _____
- Time of Completion _____

Refurbishment of Cab, Chassis, and Rescue Body

Requirements:

1. Bidder must use matching type and thickness of aluminum originally used to build the rescue body. A minimum 3003 H14 aluminum alloy plate welded to a high-strength 6063-T6 aluminum alloy extruded subframe. Wall supports and roof bows are 6061 T6 aluminum alloy.
2. A CAD drawing shall be submitted with the bid with exact body changes and dimensions of the compartments. All shelving, trays, tool boards, and equipment mounts will be shown in the drawing. The location of all added and/or replaced lighting will be shown. The moved cascade system will be noted on the drawing.
3. Bidder must visit the fire station and view the truck and equipment prior to bidding the project. The bidder must view the truck with a committee member to understand the scope of bidding the project. Anyone who does not meet to view the truck will be considered ineligible to complete the work.
4. Extend front bumper for installation of front hydraulic reel. Includes bumper extension, officer side tray for reel, center tray for tool storage, and hinged cover. Existing front winch will be eliminated. Install custom plate over center hole in front bumper.
5. Install Hannay hydraulic hose reel for use with Hurst brand tools in front bumper. Includes 100' ¼" hose (up to 10,000 PSI) and rollers (captive type). This will include leader hoses to the compartment where the Hurst pump is located. An electric rewind switch will be located near the reel.
6. Replace existing cab gauges with new.
7. Remove and refinish cab dash panels black Zolatone.
8. Chassis dyno to verify proper engine and transmission operation. This is to be done prior to the preconstruction meeting so that the information is complete at the time of the meeting.
9. Perform an oil analysis for engine and transmission. This is to be done prior to the preconstruction meeting so that the information is complete at the time of the meeting.
10. Replace front axle brakes and rotors. Includes new hub seals and oil.
11. Recondition front suspension. Includes new springs, spring pins, U-bolts, shocks, and front axle alignment.
12. Recondition rear suspension. Includes replacement of springs, pins, U-bolts, and rear axle alignment.
13. Replace rear axle brakes and drums. Includes new hub seals and axle lube oil.
14. Upgrade the air system. Includes new air dryer, air tanks, new brake and air system valves, new brake chambers, and new brake hoses (chambers to valves/bulk heads). Inspect and repair/replace nylon air lines as needed.
15. Add RWC AirGuard LED tire pressure monitoring valve stem caps on all wheels.
16. Replace fuel system hoses and fuel sender in tank.
17. Eliminate existing Kwikkee powered cab steps and replace with new fabricated aluminum treadplate stirrup steps at each of the cab doors.

18. Install scuff guard on the outside corners of the cab roof vista to protect from tree limbs.
19. Install interior grab handles in each of the cab doors openings.
20. Eliminate existing officer seat and replace with new Bostrom fixed SCBA seat. Black vinyl upholstery.
21. Replace SCBA seat brackets with new Zico QLM brackets total quantity of seven (7).
22. Replace existing driver seat with new Bostrom air suspended seat. Black vinyl upholstery.
23. Eliminate existing Ramco cowl mounted mirror and replace with new west coast door mounted Velvac 2010 mirrors with remote control and heat. Fill/weld cab holes prior to cab repaint.
24. Eliminate existing L-1/R-1 hinged compartment doors and replace with painted roll up doors.
25. All new shelves and trays must be minimum 3/16" aluminum plate.
26. Modify the bottle rack in L-4 to hold (4) additional SCBA bottles.
27. Remove the Sierra booster mounted in L3 compartment. Ship loose back to the customer.
28. Provide and install Ziamatic brand mounts for rescue tools. Quantity of 8 tools.
29. Modify L3/R3 compartment from individual compartments to transverse.
30. Add a floor 500lb. mounted sliding tray. Half depth transverse. Mount on L3 transverse floor.
31. Relocate existing Hurst reel in R3 compartment to R1 compartment (ceiling mounted).
32. Relocate existing air reel in R3 compartment to B1 compartment (ceiling mounted).
33. Add a floor mounted 500lb sliding tray. Full depth in B1 compartment.
34. Add a shelf, adjustable type in the B1 compartment above frame rail height. Includes unistrut on side walls.
35. Cut out and return custom murals on body sides to FD. Weld in new upper body side panels in this area.
36. Add a floor mounted 500lb sliding tray. Half depth transverse. Mount on R3 transverse floor.
37. Replace existing rub rail with new type to include 2" reflective tape applied to inset of the c channel extrusion. The top edge of the rub rail must be a non-skid texture.
38. Upgrade cab marker lights to LED. Includes five (5) upper clearance lights, and two (2) lower marker lights.
39. Fabricate storage rack for horizontal storage of four (4) DOT breathing air bottles. Move the existing bottles located in L2/R1 compartments to center body in walk-in-area. New bottle storage area will stop at L4/R4 compartment and be accessed from the B1 compartment.
40. Modify R1 compartment to 1/3-2/3 compartment. (new R2 compartment wall to back of L1 compartment).
41. Modify L2/R2 compartment from individual compartments to transverse.

42. Fabricate and install a full height compartment (B1) where the existing walk-in access is. Approximate compartment depth 32". The rear wall will be removable for access to the breathing air bottle rack for service and testing.
43. Replace/overlay rear body diamond plate with smooth aluminum for application of rear body chevron striping. Includes new smooth aluminum B1 compartment doors.
44. Eliminate side body windows. Install filler plates for smooth side body.
45. The transverse height compartment floor in R1 needs to be extended out to door opening.
46. Add a floor mounted 500lb. sliding tray. Half depth transverse. Mount on R1 transverse floor.
47. Transverse compartment floor to be extended out to door opening in L2/R2
48. There shall be a floor mounted bi-directional slide master roll-out tray provided in L2/R2 compartment.
49. Transverse compartment floor to be extended out to door opening in L3/R3.
50. Add a sleeve for stokes basket storage-upper rear wall of L2/R2 compartment. The sleeve will have a strap over each end to keep stokes from sliding out on its own.
51. Add mounts for customer supplied struts in the L2 transverse tray.
52. Add four (4) Tubes for pike pole storage-upper forward wall of L2/R2 compartment.
53. Remove rear command pole light.
54. Fabricate aluminum air bag storage rack for (4) rescue air bags.
55. Service hydraulic generator. Check settings and adjust as needed. Change oil and filter. Replace hydraulic hoses with new.
56. Install six (6) additional 5-20 electrical receptacles in compartments. Locations to be determined at the preconstruction meeting.
57. Mount customer supplied hand tools and equipment. Miscellaneous tool mounting. Tools to be mounted using customer fabrication, Zico, or PAC brand mounts. Locations and mounts to be determined at the prebuild meeting. A review of the tools on the truck will need to be done prior to the bid to fully understand the scope of work.
58. Eliminate existing side body quartz light/pans. Install new flush mount Whelen Pioneer PCP2 120VAC combination spot/flood lights mounted in Whelen polished flush mount brackets (2 each side).
59. Remove existing stainless cab trim belts.
60. Strip cab exterior for refinish. Prep for paint. Inspect and perform necessary repairs of minor cracks and all minor body work. Paint cab exterior two-tone. Lower Sikkens FLNA 3626 red. Upper Sikkens FLNA 4145 black. Includes replacement of all window rubber, door rubber, grille isolator rubber, grab handle rubber isolators (as needed), and mud flaps.
61. Note: Paint samples need to be provided to customer for approval prior to cab/body refinish.
62. Strip body exterior for refinish. Prep for paint. Inspect and perform necessary repairs of minor cracks and all minor body work. Paint body exterior 2-tone. Lower Sikkens FLNA 3626 red. Upper Sikkens FLNA 4145 black. Includes replacement of door rubber, grab handle rubber isolators (as needed), mud flaps, and drip rail extrusion.

63. Upgrade body marker lights to LED. Includes five (5) red rear lights, two (2) amber mid-body marker/turn rubrail lights, two (2) amber mid-body marker rubrail lights, four (4) red upper rear oval guarded lights, two (2) amber upper forward oval guarded lights, two (2) Britax lights, and one (1) tag light.
64. Replace front turn signal lights with new Federal Signal Quadraflare 6x4 series populated arrow LED front turn signals (pair).
65. Replace existing tail lights with new Federal Signal Quadraflare LED rear tail light package. Includes pair of stop/tail, populated arrow turn, and reverse lights mounted in 4V housings.
66. Federal Signal LED lightbar package – Navigator series (3-bar). Forward facing NFPA2 60" bar; Above driver/officer doors NFPA 18" bars.
67. Federal Signal upper LED warning light package. Six (6) red Quadraflare 9x7. Two (2) each body side, two (2) rear body. Note: Existing center side body light will be eliminated.
68. Federal Signal lower level LED light package. Six (6) red Quadraflare 6x4 series – Front turn signal bezel (pair), gravel shield side (pair), rear body 4V tail light casting (pair). Two (2) white/blue split Quadraflare 6x4 series in front turn signal bezel. Two (2) red Quadraflare 7x3 series on rear body fender panels. Four (4) red IMPAXX IPX6 LED series-Rubrail below L1/R1 compartment (pair), rubrail below L6/R6 compartment (pair).
69. Compartment light package Amdor Luma-Bar LED. Includes two lights per compartment.
70. Add a ground light package Whelan 4" LED-large. Minimum of twelve (12) lights.
71. Add a Federal Signal LED body scene light package. Six (6) Quadraflare 9x7 scene lights. Below upper warning lights.
72. Pre-delivery check-in and service. Prior to delivery; the truck will have a final check in of all fluids, belts, filters, and operations.
73. Install "A" style 6" 3M "Diamond Grade" striping full width on rear of body. Includes rear facing extrusions, panels and doors. Colors to be Red/Fluorescent Yellow-Green.
74. Re-letter truck to match customer existing tower ladder design. The scotchlite stripe will be matching color and the lettering will be silver leaf type.
75. The price must include third party transportation of the truck the location of the refurb factory and back to the dealership.
76. A pre-construction meeting will be held at the factory of the bidder. Travel, lodging, and meals for this time will be covered by the bidder. Air fare will be provided for travel over 200 miles from the customer. The trip will consist of a minimum two days, a factory tour to see the facility where the truck will be worked on and the construction methods of the bidder will be viewed. The pre-build meeting will be the second day and will consist of three (3) members, a sales administrator, dealership representative, and an engineer from the factory. The finding of the chassis dyno and oil samples will be presented at this time and solutions if any needed will be discussed.
77. A Final inspection trip for three (3) department personnel will be provided. Travel, lodging, and meals for this time will be covered by the bidder. Air fare will be provided

for travel over 200 miles from the customer. The trip will consist of a minimum two days.

Option Prices:

On a separate price line add option pricing for the following items.

1. R&R transmission for remanufactured – HT740. Includes new Transynd synthetic transmission oil. Transmission carries 2-year limited warranty.
2. Perform in-frame overhaul for 6-V92 engine. Includes replacement of cylinder kits, remanufactured cylinder heads, crankshaft bearings, remanufactured injectors, remanufactured turbocharger, remanufactured blower, remanufactured fuel pump, remanufactured water pump, hoses, harnesses, fluids and filters. Overhaul carries 1 year limited warranty.

PROPOSAL

TO: Borough of Little Ferry

FOR: Refurbishment of Cab, Chassis and Rescue Body

The undersigned hereby declares that the only person or persons interested in the Proposal as principal or principals, is or are named below, and that no other person than herein below named has any interest in the Proposal. This Proposal is made without any connection with any other person or persons making a Proposal for the same purpose. The Proposal is in all respects fair and without collusion or fraud and that no officer or employee of the Owner is, shall be, or will become directly or indirectly, interested as a contracting party, partner, stockholder, surety or otherwise in the performance of the contract, or in the supplies, work, or business to which it relates.

It is further declared that the site of the work (if applicable), the Specifications and the Contract Documents have been examined and it is also agreed that the work will be carried out and completed, if this Proposal is accepted, as specified and the undersigned will provide all the Superintendents, Labor, Material, Tools and Equipment, and all else necessary therefore, and incidental thereto for the items in the Proposal, complete in place, at the price per unit of measure for each scheduled item of work stated in the Schedule of Prices following.

Accompanying this Proposal is a Consent of Surety or a certified check, cashier's check, or bid bond for a minimum of ten (10%) percent of the amount bid but not greater than \$20,000 payable to the Owner, which is agreed by the undersigned to be forfeited as liquidated damages, and not as a penalty, if the Contract is awarded to the undersigned, and the undersigned shall fail to execute the Contract for the work within the stipulated time. Otherwise, the bid security shall be returned to the undersigned as specified in the Contract Documents.

AUTHORIZED SIGNATURE: _____

TITLE: _____

FIRM'S NAME: _____

ADDRESS: _____

DATE: _____

TELEPHONE: _____

FACSIMILE: _____

SCHEDULE OF PRICES

Total Base Bid for Refurbishment of Cab, Chassis and Rescue Body: \$ _____

(In Words) _____

OPTIONAL ITEMS:

1. R & R transmission for remanufactured HT740 w/ inclusions: \$ _____

2. Perform in-frame overhaul for 6-V92 engine w/ inclusions: \$ _____

SIGNED: _____

TITLE: _____

BIDDER: _____

ADDRESS: _____

DATE: _____

BIDDER'S AFFIDAVIT

STATE OF _____

COUNTY OF _____

_____ being duly sworn, deposes and says that he
resides at _____

and that he is the _____
(Give Title)

of _____
(Name of Organization)

who signed the above Proposal of Bid, that he was duly authorized to sign and that the Bid is the true offer of the Bidder, that the seal attached is the seal of the Bidder and that all declarations and statements contained in the Bid are true to the best of his knowledge and belief.

He further deposes that he has submitted herewith a list of names and addresses of all stockholders and/or partners owning a 10 percent of greater interest in compliance with P.L. 1977, Chapter 33, effective March 8, 1977.

Affiant

Subscribed and Sworn before me
this day of , 2016.

_____ (Seal)
(Notary Public)

(Commission expiration date)

NON-COLLUSION AFFIDAVIT

STATE OF NEW JERSEY

COUNTY OF _____

I, _____ of the Municipality of _____ in the
County of _____ and the State of _____ being of full age
and being duly sworn according to law on my oath depose and say that:

I am _____
of the firm of _____

the bidder making the Proposal for the above named project; that I executed the said Proposal with full authority so to do; that said bidder has not, directly or indirectly, entered into any agreement, participated in any collusion or otherwise taken any action in restraint of free, competitive bidding in connection with the above named project; that all statements contained in said Proposal and in this affidavit are true and correct, and made with full knowledge; that the State of New Jersey and Owner relies upon the truth of the statements contained in said Proposal and in this affidavit in awarding the contract for the said project.

I further warrant that no person or selling agency has been employed or retained to solicit or secure such contract upon an agreement or understanding for a commission, percentage, brokerage or contingent fee, except bona fide employees or bona fide established commercial or selling agencies maintained by _____

(N.J.S.A. 52:34-15)

Subscribed and Sworn before me
this _____ day of _____, 2016.

(Notary Public) (Seal)

(Commission expiration date)

BID BOND

KNOW ALL MEN BY THESE PRESENTS, that we, the undersigned,

_____ as Principal, and _____ as Surety, are hereby held and firmly bound unto the Borough of Little Ferry in the penal sum of ten percent of the bid amount for the payment of which, well and truly to be made, we hereby jointly and severally bind ourselves, our heirs, executors, administrators, successors and assigns.

Signed this _____ day of _____, 2016

The condition of the above obligation is such that whereas the Principal has submitted to the Borough of _____ a certain Bid, attached hereto, and made a part of hereof, to enter into a contract in writing for _____

NOW THEREFORE,

- A) If said Bid shall be rejected, or, in the alternate,
- B) if said Bid shall be accepted and the Principal shall execute and deliver a contract in the form of contract to be prepared by the Borough Attorney (properly completed in accordance with said Bid) and shall furnish a bond for his faithful performance of said Contract, and shall in all other respects perform the agreement created by the acceptance of the said Bid,

Then, this obligation shall be void, otherwise the same shall remain in force and effect; it being expressly understood that all claims hereunder shall, in no event, exceed the penal amount of this obligation as herein stated.

The Surety, for value received, hereby stipulates and agrees that the obligations of said Surety and its bond shall be in no way impaired or affected by any extension of the time within which the Principal may accept such Bid; and said Surety does hereby waive notice of any such extension.

IN WITNESS WHEREOF, the Principal and Surety have set their hands and seals, and such of them as are corporations having their corporate seals to be hereto affixed and these presents to be signed by their proper corporate officers, the day and year first set forth above.

Principal: _____ (L.S.)

Surety: _____

By: _____

CONSENT OF SURETY

In consideration of the premises (Proposal to which this is attached), the undersigned consents and agrees that if the contract for which the preceding Proposal is made be awarded to the corporation, person or persons making the same, it shall become bound as surety and a guarantor for its faithful performance, and shall execute a bond in the form required by the New Jersey R.S. 2A:44-147, said bond to be in an amount equal to one hundred percent (100%) of the contract price and to be conditioned so as to indemnify the Owner _____,

County, New Jersey, against loss due to the failure of the Contractor to meet the stipulation of the contract, contract documents, and the bond, and to guarantee payment to all persons performing for furnishing labor or materials for performance of said contract and if the said corporation, person or persons shall omit or refuse to execute such contract if so awarded, it will pay, on demand to the said _____, and difference between the sum to which said corporation, person or persons would have been entitled upon the completion of such contract and the sum which the said Borough or Township may hereafter be obliged to pay the corporation, person or persons to who a substitute contract may be afterwards awarded, the amount of the difference to be determined by the bids.

IN WITNESS WHEREOF, said corporation has set its seal and caused these present to be signed by its duly authorized officers, this _____ day of _____, 2016.

ATTEST:

By: _____

Surety (Seal)

ATTEST:

By: _____

COUNTERSIGNED:

Bidder's Signature & Business Address

PREVAILING WAGE RATE STATEMENT

I, the undersigned _____, the duly authorized and acting legal representative of the Bidder, do hereby certify as follows:

There shall be paid each laborer or mechanic of the successful Bidder or subcontractor engaged in work on the project under this bid in the trade or occupation required in these specifications, not less than the hourly wage rate established by the State Commissioner of Labor & Industry under N.J.S. 34:15-25 regulation pertaining to prevailing wage rates.

The Owner will not consider any claims for additional compensation made by the Bidder because of payment by the Bidder of any wage rate in excess of the applicable rate contained in this contract. All disputes in regard to the payment of wages in excess of minimum wages shall be adjusted by the Bidder.

Date

Bidder & Title

BIDDERS SAFETY ACKNOWLEDGMENT

The undersigned hereby states that as a principal of the firm submitting this proposal, he or she is fully aware that all safety regulations of the Occupational Safety and Health Administration (OSHA) and the requirements of the State of New Jersey Department of Labor and Industry shall be adhered to on this project and that he or she shall instruct his or her personnel to follow these regulations. These regulations include, but not limited to, the regulations concerning Trench Excavation, Competent Persons and Confined Space Regulations.

If it is observed by an official representative of the municipality that these safety regulations are not being followed and there exists a potential serious safety deficiency that could result in accident, I acknowledge that this municipal representative may stop the project until the safety deficiency is corrected without any claim for additional compensation by this firm.

WITNESS OR ATTESTED BY

SIGNATURE

DATE

NAME OF ORGANIZATION

PRINT NAME AND TITLE OF
PERSON SIGNING

(Must be signed and submitted with Bid Proposal)

BIDDERS QUALIFICATION FORM

(This form is part of the Proposal)

On the form provided, indicate at least five (5) jobs performed within the last three (3) years of a similar nature and contract amount:

1. Name of Job: _____
Major Construction Items: _____

Engineer Name, Address, & Telephone Number: _____

2. Name of Job: _____
Major Construction Items: _____

Engineer Name, Address, & Telephone Number: _____

3. Name of Job: _____
Major Construction Items: _____

Engineer Name, Address, & Telephone Number: _____

4. Name of Job: _____
Major Construction Items: _____

Engineer Name, Address, & Telephone Number: _____

5. Name of Job: _____
Major Construction Items: _____

Engineer Name, Address, & Telephone Number: _____

STATUS OF CONTRACTS ON HAND

6. Give full information about all of your contracts, whether private or government contracts, whether prime or sub-contracts; whether in progress or awarded but not yet begun; or where you are low bidder pending formal award of contract.

Owner	Location	Description	Adjusted Contract Amount	Amount Completed and Billed	Additional Earned Since Last Estimate	Balance To Be Completed	Estimated Date of Completion
		Totals					

7. What equipment do you own that is available for and intended to be used on the proposed project?

TABLE 1

Quantity	Item	Description, Size Capacity, Etc.	Condition	Years of Service	Present Location

8. What equipment do you intend to purchase or lease for use on the proposed work, should the contract be awarded to you?

TABLE 2

Quantity	Item	Description, Size Capacity, Etc.	Approximate Purchase	Cost Lease

9. Have you made contracts or received firm offers for all materials within prices used in preparing your proposal? Do not give name of dealers or manufacturers.

_____ Yes _____ No

The Undersigned hereby declare(s) that the items of equipment in Table 1 are owned by _____, and are available for and intended to be used on the Project, if _____ is awarded the Contract, and that (he) (she) (they) propose(s) to purchase or lease for the Project the additional items of equipment stated in Table 2.

If awarded the Contract, the Undersigned will furnish certificates from the owners of leased equipment to the effect that, in case of default of contract, as set forth in Article 25 the Governing Body has the right to take over the leased equipment for use in completing the work.

Dated at _____ this _____ day of _____, 2016.

By _____

STATE OF _____
COUNTY OF _____

_____, Being duly sworn, deposes and says that he is _____ of the above

Organization _____ Name of _____
and that the answers to the foregoing questions and all statements therein contained are true and correct.

Sworn to before me this _____ day of _____, 2016

My Commission Expires _____ Notary Public

NEW JERSEY BUSINESS REGISTRATION REQUIREMENTS

A contractor must include proof of its own business registration and proofs of business registration of those subcontractors required to be listed in the contractor's submission (i.e., "named subcontractors"). The proof shall be in the form of a copy of the organization's "Business Registration Certificate" issued by the Division of Revenue. The proof of business registration shall be provided at the time the bid or proposal is officially received and opened by the contracting agency.

The contractor shall provide written notice to its subcontractors and suppliers of the responsibility to submit proof of business registration to the contractor. The requirement of proof of business registration extends down through all levels (tiers) of the project.

Before final payment on the contract is made by the contracting agency, the contractor shall submit an accurate list and the proof of business registration of each subcontractor or supplier used in the fulfillment of the contract, or shall attest that no subcontractors were used.

For the term of the contract, the contractor and each of its affiliates and a subcontractor and each of its affiliates [N.J.S.A. 52:32-44(g)(3)] shall collect and remit to the Director, New Jersey Division of Taxation, the use tax due pursuant to the Sales and Use Tax Act on all sales of tangible personal property delivered into this State, regardless of whether the tangible personal property is intended for a contract with a contracting agency.

A business organization that fails to provide a copy of a business registration as required pursuant to section 1 of P.L. 2001, c.134 (C.52:32-44 et al.) or subsection e. or f. of section 92 of P.L. 1977, c.110 (C.5:12-92), or that provides false business registration information under the requirements of either of those sections, shall be liable for a penalty of \$25.00 for each day of violation, not to exceed \$50,000 for each business registration copy not properly provided under a contract with a contracting agency.

ACKNOWLEDGEMENT OF RECEIPT OF CHANGES TO BID DOCUMENTS
FORM

Refurbishment of Cab, Chassis and Rescue Body

Pursuant to N.J.S.A. 40A:11-23.1a., the undersigned bidder hereby acknowledges receipt of the following notices, revisions, or addenda to the bid advertisement, specifications or bid documents. By indicating date of receipt, bidder acknowledges the submitted bid takes into account the provisions of the notice, revision or addendum. Note that the local unit's record of notice to bidders shall take precedence and that failure to include provisions of changes in a bid proposal may be subject for rejection of the bid. If no addendum was received, please initial in the "NONE RECEIVED" space below.

Local Unit Reference Number or Title of Addendum/Revision	How Received (mail, fax, pick-up, etc.)	Date Received

Acknowledge by bidder:

NONE RECEIVED:

Name of Bidder: _____

By Authorized Representative: _____

Signature: _____

Printed Name and Title: _____

Date: _____

TIME OF COMPLETION

LITTLE FERRY

Refurbishment of Cab, Chassis & Rescue Body for Fire Rescue Truck

In the event of a failure of the contractor to complete the said work within 240 Calendar days of the date of the signing of the Contract by both parties, the contractor shall be liable to the Borough of Little Ferry in the sum of \$100.00 per day for each and every Calendar Day that the said work remains incomplete.

Should you print this bid specification from the Borough's website,

please advise the Borough Clerk Barbara Maldonado at

b-maldonado@littleferrynj.org or at 201-641-8462 in case there is an

addendum that needs to be sent to you.