Mauro D. Raguseo Mayor

Paula J. Cozzarelli

Borough Administrator

Barbara Maldonado

Borough Clerk



Peggy Steinhilber, Council President
Ronald Anzalone, Councilman
Jenifer Lange, Councilwoman
Stephen Lanum, Councilman
George Muller, Councilman
Thomas Sarlo, Councilman

215-217 LIBERTY STREET • LITTLE FERRY, NJ 07643
201-641-9234 201-641-1957 FAX
www.littleferrynj.org

INSTRUCTIONS FOR CERTIFICATE OF SMOKE DETECTION, CARBON MONOXIDE ALARMS AND FIRE EXTINGUISHERS IN ONE AND TWO-FAMILY DWELLINGS

The applications are to be filled out and paid by the current owner or the agent in charge.

Please make sure that you DO NOT HAVE ANY OPEN PERMITS AND YOUR TAXES ARE CURRENT.

The Certificate shall be issued within ten (10) days of the receipt of the application.

Return the application forms along with a check made payable to the Borough of Little Ferry.

BOROUGH OF LITTLE FERRY STATE OF NEW JERSEY ORDINANCE NO. 1272-04-09

AN ORDINANCE AMENDING AN ORDINANCE ENTITLED
"UNIFORM CONSTRUCTION CODE FEE SCHEDULE"
OF THE REVISED GENERAL ORDINANCES OF
THE BOROUGH OF LITTLE FERRY,
COUNTY OF BERGEN
AND STATE OF NEW JERSEY

BE IT ORDAINED by the Mayor and Council of the Borough of Little Ferry, that Chapter 90 Section 4 entitled "Uniform Construction Code: Fee Schedule" of the Ordinances of the Borough of Little Ferry is hereby amended and that those portions of the aforesaid set forth below are hereby amended as follows and that those portion of the Ordinance not set forth below shall remain unchanged:

(9) Fee for certificate of continued occupancy for Rentals or Resale Certificate: \$50.00 per dwelling unit

Mauro D. Raguseo

Mayor

Paula J. Cozzarelli

Borough Administrator

Barbara Maldonado

Borough Clerk

information regarding installation.



Peggy Steinhilber, Council President
Ronald Anzalone, Councilman
Jenifer Lange, Councilwoman
Stephen Lanum, Councilman
George Muller, Councilman
Thomas Sarlo, Councilman

Porough of Little Gerry

215-217 LIBERTY STREET • LITTLE FERRY, NJ 07643

201-641-9234 201-641-1957 FAX

www.littleferrynj.org

APPLICATION FOR ONE & TWO FAMILY DWELLING CERTIFICATION OF SMOKE DETECTOR COMPLICANCE

Dwelling Location: (not mailing address)	Block	Lot _		
	Street			
	MunicipalityL			
*NOTE: ALL BOXES	MUST BE CHECKE	D IN ORDEI	R FOR CERT	IFICATION TO BE VALID
	On each level of the dwelling, including basements, excluding attic or craw space; and			ents, excluding attic or crawl
	Outside each separat	e sleeping are	ea; and (within	n 10 feet of bedrooms)
	All smoke detectors	are in workin	g order.	
This is a	story dwelling	□ with		☐ without a basement
This is a	one family dwelling,		two family_	multi dwelling.
An inspection shall be conducted by the owner or an authorized representative of the owner. The detectors required above shall be located in accordance with NFIPA 74. The detectors are not required to be interconnected. Battery powered detectors are acceptable.				
Note: AC powered and/or interconnected smoke detectors installed in homes constructed after January, 1977 shall be maintained in working order. See diagram on next page of this application for further				

		5	
Phone number (area code	e)	<u> </u>	
Fax (area code)			
Contact Person:			
Closing Date:			
I do hereby certify that the foregoing statements	ne foregoing statements made by me are willfu	s made by me are true. I a lly false, I will be subjec	am aware that if ar t to penalty.
Sworn and subscribed be	fore me this	day of	, 2
Notary Signature		Applicant Si	gnature
		Printed Nam	e
Borough of Little Ferry r processing and delivery. in the application for a C	nust accompany this ap A CSDC shall not be tr	plication. Please allow to ansferable. If the change	en (10) days for of occupancy spe
Note: a check/money ord Borough of Little Ferry r processing and delivery. in the application for a C required.	nust accompany this ap A CSDC shall not be tr SDC does not occur wi	plication. Please allow to ansferable. If the change	en (10) days for of occupancy spe pplication shall be
Borough of Little Ferry r processing and delivery. in the application for a C required.	nust accompany this ap A CSDC shall not be tr SDC does not occur wi	plication. Please allow to ransferable. If the change thin six months, a new a	en (10) days for confidence of occupancy specification shall be FUNDABLE***

Mauro D. Raguseo

Mayor

Paula J. Cozzarelli

Borough Administrator

Barbara Maldonado

Borough Clerk



Peggy Steinhilber, Council President
Ronald Anzalone, Councilman
Jenifer Lange, Councilwoman
Stephen Lanum, Councilman
George Muller, Councilman
Thomas Sarlo, Councilman

Porough of Little Gerry
215-217 LIBERTY STREET • LITTLE FERRY, NJ 07643
201-641-9234 201-641-1957 FAX
www.littleferrynj.org

CERTIFICATE IN LIEU OF OATH

I,say:	am Eighteen (18) years of age or older	and do solemnly affirm and
I will own and exercise co the Borough of Little Ferry	entrol over the premises located at	located within
As of this date or intended to be occupied	the said premises contains no more than by persons living independently of each other, le:	one dwelling unit occupied Single Family Home.
If this structure holds mo	ore than one dwelling unit you are to indicate the ants.	e number of units, names
of any portion of this singl understand and accept that as prescribed in the Ordina	tion Department of the Borough of Little Ferry in the family home, proposed conversion to two or more failure to notify this agency upon such change will ance No.(s) (1197-06-06, 1198-07-06 & 1100-08-06 ge that no area of the basement shall be used as a dy	re dwelling units. I I subject me to legal penalty 6) of the Borough of Little
I hereby certify that all stat statements made by me are	tements herein made by me are true and I am aware willfully false, I am subject to legal action.	that if any of the foregoing
	Date:	
Buyer Signature	NOTE DI DI DI	
	NOTARY PUBLIC	SEAL
Print Name		
Address if different than al	pove	

Any person who violates or causes to violate any provisions of the Borough of Little Ferry Zoning Ordinance(s), shall be liable to pay a penalty of not less than \$250.00 nor more than \$1,000.00 per day for each day of continuing violation or a confinement to not more than Ninety (90) days in jail or both for each of the summons issued. Each day a violation continues, beyond the date fixed or compliance in the notice provided for herein, shall continue a separate offense.

Mauro D. Raguseo

Mayor

Paula J. Cozzarelli

Borough Administrator

Barbara Maldonado

Borough Clerk

PROGRESS 1894 JERSE JERSE

Peggy Steinhilber, Council President
Ronald Anzalone, Councilman
Jenifer Lange, Councilwoman
Stephen Lanum, Councilman
George Muller, Councilman
Thomas Sarlo, Councilman

Porough of Little Terry
215-217 LIBERTY STREET • LITTLE FERRY, NJ 07643
201-641-9234 201-641-1957 FAX

www.littleferrynj.org

IT IS IMPERATIVE THAT YOU SEE THE TAX OFFICE TO ENSURE THAT TAXES ARE CURRENT

PROPERTY OWNER	:	
ADDRESS		
BLOCK	LOT	QUAL NO
TAXES ARE CURRE	NT AS OF	
TAX CLERK		
	ANNA MOROLL	·A

Mauro D. Raguseo

Mayor

Paula J. Cozzarelli

Borough Administrator

Barbara Maldonado

Borough Clerk



Ronald Anzalone, Councilman
Jenifer Lange, Councilwoman
Stephen Lanum, Councilman
George Muller, Councilman
Thomas Sarlo, Councilman

Peggy Steinhilber, Council President

Porough of Little Terry
215-217 LIBERTY STREET • LITTLE FERRY, NJ 07643
201-641-9234 201-641-1957 FAX
www.littleferrynj.org

OFFICIAL USE ONLY

THIS IS TO CERTIFY THAT THER ARE:

DATE:		
OPEN PERMITS		 •
NO OPEN PERMITS		 <u>.</u>
BLOCK	LOT	 Ē.
FOR THE FOLLOWING ADDR	ESS	

Richard Bolan Zoning Official

RB/smg



Borough of Little FerryPOLICE DEPARTMENT

RALPH C. VERDI CHIEF OF POLICE

COUNTY OF BERGEN 215-215 LIBERTY STREET LITTLE FERRY, NJ 07643-1507

INCORORATED 1894

PHONE (201) 641-2770 - FAX (201) 641-4828

The Little Ferry Police Department is requesting that you fill out the necessary information listed below. This information is required on a yearly basis as per borough ordinance and fines will be issued if it is not completed. This information will be kept confidential and on file at police headquarters in the event of an emergency after normal business hours. In the event of ANY changes at any time during the year you must contact the Police Department with the updated information.

PLEASE TYPE OR PRINT CLEARLY ALL INFORMATION

Name	
4 1 1	
Telephone# ()	Fax# ()
<u>]</u>	Emergency Contacts
Contact #1 Name	
Best Number to be Contacted ()	
Contact #2 Name	
Best Number to be Contacted ()_	<u>·</u>
Contact #3 Name	
Best Number to be Contacted ()_	
Contact #4 Name	
Best Number to be Contacted ()	
Official Police U	Use Only Do Not Fill Out Below This Line
Revised: 02/25/2014 Dates: Received by LFPD_	

Mauro D. Raguseo Mayor

Paula J. Cozzarelli

Borough Administrator

Barbara Maldonado

Borough Clerk



Peggy Steinhilber, Council President
Ronald Anzalone, Councilman
Jenifer Lange, Councilwoman
Stephen Lanum, Councilman
George Muller, Councilman
Thomas Sarlo, Councilman

215-217 LIBERTY STREET • LITTLE FERRY, NJ 07643 201-641-9234 201-641-1957 FAX www.littleferrynj.org

REQUIREMENTS ON LOCATION OF SMOKE DETECTOR AND CARBON MONOXIDE DETECTOR INSTALLATION IN ONE AND TWO FAMILY DWELLINGS N.J.A.C.5:18-4.19

- 1. SMOKE DETECTORS SHALL BE LOCATED IN ACCORDANCE WITH NFPA AND MAINTAINED IN WORKING ORDER.
- 2. SMOKE DETECTORS AND CARBON MONOXIDE DETECTORS SHALL BE INSTALLED AS FOLLOWS:
 - ON EACH LEVEL OF THE PREMISES (INCLUDING BASEMENT)
 - OUTSIDE OF EACH SEPARATE SLEEPING AREA.
- 3. SMOKE DETECTORS AND CARBON MONOXIDE DETECTORS MAY BE BATTERY POWERED AND SHALL BE LISTED IN ACCORDANCE WITH ANSI/UL 217. A/C POWERED SMOKE DETECTORS AND CARBON MONOXIDE DETECTORS SHALL BE ACCEPTED AS MEETING THE REQUIREMENTS OF THIS SECTION.
- 4. SMOKE DETECTORS AND CARBON MONOXIDE DETECTORS INSTALLED IN BASEMENT SHALL BE LOCATED IN CLOSE PROXIMITY TO THE STAIRWAY LEADING TO FLOOR ABOVE.
- 5. SMOKE DETECTORS AND CARBON MONOXIDE DETECTORS INSTALLED IN ROOMS WITH SLOPED CELINGS SHALL BE LOCATED AT HIGH SIDE OF ROOM.
- 6. SMOKE DETECTORS AND CARBON MONOXIDE DETECTORS INSTALLED IN HALLWAYS SHALL BE LOCATED SO SMOKE RISING IN THE STAIRWELL CANNONT BE PREVENTED FROM REACHING THE DETECTOR BY AN INTERVENING DOOR OR OBSTRUCTION.

SMOKE DETECTORS AND CARBON MONOXIDE DETECTORS ARE NOT REQUIRED IN CRAWL SPACES OR IN UNFINISHED ATTIC SPACES.

WHERE TO LOCATE DETECTORS:

Detectors are to be located on every level of a residence, (basement, first floor, second floor) excluding crawl spaces and unfinished attics, and in every separate sleeping area, between sleeping areas and living areas such as the kitchen, garage, basement or utility room. In homes with only one sleeping area on one floor, a detector is to be placed in the hallway outside the bedrooms as shown in: Figure 1. In single floor homes with two separate sleeping areas, two detectors are required, outside each sleeping area as shown in Figure 2. In multi-level homes, detectors are to be located outside sleeping areas and at every finished level of the homes as shown in Figure 3. Basement level detectors are to be located in close proximity to the bottom of basement stairwells as shown in Figure 4.

WHERE NOT TO LOCATE DETECTORS

To avoid false alarms and/or improper operation, avoid installation of smoke detectors in the following areas:

Kitchens-smoke from cooking may cause a nuisance alarm.

Bathrooms-excessive steam from a shower may cause a nuisance alarm.

Heat forced air ducts-used for heating or air-movement may prevent smoke from reaching detector.


The 4-inch "Dead Air" space where the ceiling meets the wall, as shown in Figure 5.

The peak of an "A" frame type of ceiling-"Dead Air" at the top may prevent smoke from reaching detector.

FURTHER INFORMATION ON DETECTOR PLACEMENT:

For further information about smoke detector placement consult the National Protection Association's Standard No. 74-1984, titled "Household Fire Warning Equipment". For Carbon Monoxide alarms, their publication is Recommended Practice #720. These publications may be obtained by writing to the Publication Sales Department National Fire Protection Association, Batterymarch Park, Quincy MA 02269.

Carbon monoxide alarms are to be located in every separate sleeping area per NFPA 720 and manufacturer's recommendations.



DEPARTMENT OF COMMUNITY AFFAIRS DIVISION OF FIRE SAFETY MEMORANDUM

TO: ALL LOCAL ENFO

ALL LOCAL ENFORCING AGENCIES

FROM:

LOIS KILMER, CHIEF-BUREAU OF FIRE CODE ENFORCEMENT.

SUBJECT:

REQUIREMENTS FOR FIRE EXTINGUISHERS IN ONE AND TWO-

FAMILY DWELLINGS.

DATE:

NOVEMBER 15, 2005

The Legislature amended and enacted P.L. 1991, c.92 (C.52: 27D-198.1), requiring that all one and two-family dwellings at a change of occupancy be provided with a portable fire extinguisher, in addition to the requirements for smoke and carbon monoxide detectors. This provision does not apply to seasonal rental units. This act was signed into law on April 14, 2005 with an effective date of November 1, 2005.

The regulations were recently made available for public comment. The comment period has ended and the final adoption of the regulations will appear in the New Jersey Register in the near future. The Division of Fire Safety is advising all local enforcing agencies to enforce the regulations; using the guidelines below.

The requirements for the type and placement of the extinguishers are as follows:

- 1. At least one portable fire extinguisher shall be installed in all one and two-family dwellings (except seasonal rental units) upon change of occupancy.
- 2. The extinguisher shall be listed, labeled, charged, and operable.
- 3. The size shall be no smaller than 2A: 10B:C, rated for residential use and weigh no more than 10lbs.
- 4. The hangers or brackets supplied by the manufacturer must be used.
- 5. The extinguisher must be located within 10 feet of the kitchen.
- 6. The top of the extinguisher must not be more than 5 feet above the floor.
- 7. The extinguisher must be visible and in a readily accessible location, free from being blocked by furniture, storage, or other items.
- 8. The extinguisher must be near a room exit or travel path that provides an escape route to the exterior.
- 9. The extinguisher must be accompanied by an owner's manual or written information regarding the operation, inspection, and maintenance of the extinguisher; and
- 10. Lastly, the extinguisher must be installed with the operating instructions clearly visible.

New fire extinguishers are not required to be serviced and tagged; as long as the seller or agent can provide proof of purchase receipt.

Until the proposed regulations have been adopted, the statute should be cited for enforcement purposes. The correct citation is N.J.S.A. 52:27D-198.1. If you have any questions regarding the implementation of this act or its specific requirements, please contact our Local Assistance Unit at 609-633-6112.





The Threat of Carbon Monoxide

Carbon Monoxide: Deadly but Silent


Few poisons are as lethal as CO (carbon monoxide) or strike more secretly. Because you can't taste it, smell it or see it, CO can affect you before you realize it. Most victims are overcome while they are sleeping. People poisoned at low levels by CO often mistake the early symptoms of headaches, dizziness, and nausea for the initial signs of the flu or cold.

The Consumer Product Safety Commission estimates that exposure to CO from sources inside the home accounts for approximately 250 deaths a year; while another 5,000 individuals are poisoned seriously enough to require medical attention. According to the American Medical Association, there are at least 750 unintentional deaths both inside and outside the home from CO exposure each year.

Carbon monoxide is absorbed through the lungs and inhibits the blood's capacity to transport oxygen through the body which can eventually lead to brain damage. Within minutes, at higher concentration levels, CO poisoning can be fatal. While everybody is at risk, unborn babies, infants, senior citizens, and people with coronary or respiratory problems are most susceptible. If the victim is pregnant, CO poisoning can harm the fetus.

The Carbon Monoxide in Your Home

Carbon monoxide is produced when fuels such as natural gas, propane, heating oil, kerosene, coal charcoal, gasoline, or wood burn with insufficient air. It is also present in tobacco smoke. Homes with a fuel-fired furnace or space heater, a wood stove, a fireplace, an attached garage, gas appliances, and gas water heaters are especially vulnerable. In these energy-conscious times we all want to save by weatherproofing our homes. But if your house is tightly sealed against the elements, CO polluted air becomes trapped more easily, increasing your exposure to the danger of poisoning.



Bergen County
Department of Health Services
327 Ridgewood Avenue
Paramus, New Jersey 07652-4895
(201)-599-6100

An Ounce of Prevention

Here are some steps you can take to protect yourself and your family:

- Have home furnaces and heating systems professionally inspected annually
- Have the chimney and flue cleaned professionally
- Open flues when fireplaces are in use
- Use proper fuel in kerosene space heaters
- Make sure burner flames on furnaces and stoves are blue not yelloworange
- Ensure that appliances such as gas dryers are properly vented
- Never run an automobile in an attached garage or a gas engine in any enclosed space
- Discourage or prohibit smoking indoors
- Consider installing a carbon monoxide detector that meets the amended UL (Underwriters Laboratories) standard 2034, effective October 1, 1995.

(Underwriters Laboratories has set a standard (UL 2034) that calls for a detector to sound the alarm before a person would experience a blood concentration of 10% carboxyhemoglobin. Cigarette smoking typically causes a level of about 9%.)

If you suffer from dizziness, nausea, fatigue, and headaches while you are home and feel better when you go out you may have CO poisoning. See a doctor and get a carboxyhemoglobin test to determine the percentage of carbon monoxide in your blood.

If you would like more information, there are several consumer hotlines established to address CO questions:

- The American Sensors' Healthy Home Hotline (800/387-4219)
- Local chapters of the American Lung Association (800/LUNG-USA)
- The Consumer Product Safety Commission (800/638-CPSC)

Information provided by American Sensors, the American Lung Association, and the National Association of Counties